Table 8.Leading Causes of Infant Death by Age at Death South Carolina, 2006
(Residence Data)

Causes of Death (ICD-10 Codes)	Total	Under 1	1-6	7-27	Neonatal	Post-Neonatal
		Day	Days	Days	(<28 days)	(28-364days)
Total Infant Deaths	520	209	53	80	342	178
Congenital malformations, deformations, etc. (Q00-Q99)	98	44	8	18	70	28
Disorders related to short gestation and low birthweight, NEC (P07)	80	71	9	-	80	-
Sudden infant death syndrome (R95)	44	-	-	4	4	40
Fetus and newborn affected by maternal complications of pregnancy (P01)	42	38	3	-	41	1
Accidents (V01-X59, Y85-Y86)	33	1	1	4	6	27
Newborn affected by complication of placenta, ect. (P02)	25	23	1	-	24	1
Bacterial sepsis of newborn (P36)	16	1	1	11	13	3
Diseases of Circulatory System (I00-I99)	15	-	-	4	4	11
Respiratory distress of newborn (P22)	15	5	6	4	15	-
Neonatal hemorrhage (P50-P52, P54)	13	1	8	4	13	-
Necrotizing Enterocolitis of newborn (P77)	13	-	1	12	13	-
All other causes	126	25	15	19	59	67

Source: SC DHEC: PHSIS-Division of Biostatistics